

Department of Veterans' Affairs
Employment Opportunity
STATIONARY ENGINEER

PLEASE FOLLOW THE SPECIFIC APPLICATION FILING INSTRUCTIONS AT THE BOTTOM OF THIS PAGE

Open to: The Public

Location: Rocky Hill Veterans Home & Healthcare Facility, 287 West St., Rocky Hill 06067

Job Posting Number: 2848

Hours per week: 37.5, Rotating Eight Hour Shifts

Salary: TC 16 \$41,878 Annual plus appropriate differentials

Closing Date: April 18, 2012

Eligibility Requirement: State employees currently holding the above title or those who previously attained permanent status may apply for lateral transfer.

Examples of Duties: Upon taking over a shift, receives operating instructions from outgoing shift engineer; inspects boiler room gauges; indicators, charts and records of operation, and the actual operating of the boiler room mechanical equipment and boilers, and issues any necessary instructions to subordinate(s); acts similarly in regard to generating equipment if any; makes various periodic and special tests and checks of facilities and equipment, making necessary adjustments; maintains and repairs mechanical equipment, makes or supervises the making of simple boiler water analyses and determines necessary treatment; calculates and records operating data; may assist in general building maintenance and repair; performs minor tests for fuel specific gravity and gas leaks; adds water treatment chemicals to boilers, may inspect and repair steam traps fed by main system at various locations, may remove pipe insulation materials associated with the repair of pipes and fittings using OSHA approved methods, performs related duties as required.

Minimum Qualifications Required (Knowledge, Skills and Abilities): Knowledge of and ability to operate, maintain and repair boilers, generators and related mechanical equipment; some interpersonal skills; some oral and written communication skills.

Experience and Training:

General Experience: Three (3) years' experience in the operation, maintenance, and repair of steam boilers or of significant auxiliary boiler room or power plant equipment.

Physical Requirement: Employees appointed to positions in this class must have adequate physical strength, stamina, and physical agility and visual and auditory acuity, and must maintain such physical fitness as to be able to perform the duties. A physical examination may be required.

Working Conditions: Incumbents may be exposed to significant levels of dust, noise and heat; may be exposed to risk of injury from equipment.

The appointing authority may require completion of an asbestos removal program consistent with EPA guidelines for operations and maintenance during employment in this class.

Note: The filling of this position will be in accordance with reemployment, SEBAC, transfer, promotion and merit employment rules, if applicable.

Application Instructions: Interested and qualified candidates who meet the above requirements should submit a cover letter referencing the posted position, a completed state application (CT-HR-12) and a copy of your two most recent performance appraisals to:

Department of Veterans' Affairs
287 West Street
Rocky Hill, CT 06067
Fax (860) 616-3536
Marge.Mancini@po.state.ct.us

An Affirmative Action/Equal Opportunity Employer

The State of Connecticut is an equal opportunity/affirmative action employer and strongly encourages the applications of women, minorities, and persons with disabilities.